

SAFETY DATA SHEET

Issue Date 2015-05-31

Revision Date 2025-04-23

Revision: R01

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier:

Product Name:

Astron LC Soft Powder

Alternate Name(s):

Astron - Light Cured Soft Powder

Recommended Use of the substance or mixture and Restrictions on Use:

Intended Use:

See Technical Data Sheet

Application Method:

See Technical Data Sheet

Details of the Supplier of the Safety Data Sheet:

Company Name:

Astron Dental Corporation

Supplier Address:

815 Oakwood Road, Unit G Lake Zurich, IL. 60047 (USA)

Emall:

customerservice@astrondental.com

Emergency Telephone Numbers

Customer Service: 24 hour Emergency:

800-323-4144 / 847-726-8787 (During Business Hours, 8:00am - 4:00pm CST)

Infotrac: 800-535-5053

2. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture: Combustible Dust - May form combustible dust concentrations in air.

Label Elements: Using the Toxicity Data listed in Section 11 and 12 the product is labeled as follows:



Warning

[Prevention]

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

P240 Ground / bond container and receiving equipment.

P241 Use explosion-proof electrical / ventilation / light / equipment.
P280 Wear protective gloves / eye protection / face protection.

[Response]

P370+P378

In case of fire; Use extinguishing media listed in Section 5 of SDS for extinction.

[Storage]

No GHS storage statements

[Disposal]

No GHS disposal statements

3. COMPOSITION / INFORMATION ON INGREDIENTS

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Issue Date 2015-05-31 Revision Date 2025-04-23 Revision: R01

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
PROPENOIC ACID, 2-METHYL-, ETHYL ESTER, HOMOPOLYMER CAS Number: 0009003-42-3	75 – 100	Combustible Dust	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

- [1]Substance classified with a health or environmental hazard.
- [2]Substance with a work place exposure limit.
- [3]PBT-substance or vPvB-substance.
- *The full texts of phrases are shown in Section 16

4. FIRST AID MEASURES

Description of First Aid Measures:

General: In all cases of doubt, or when symptoms persist, seek medical assistance. Never give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air, keep patient warm and at rest. If breathing is irregular, or stopped, give artificial respiration. If unconscious, place in a recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes: Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

Skin: Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Most Important symptoms and effects, both acute and delayed:

Overview: No specific symptom data.

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Water, C0² or dry chemical. Avoid extinguishing methods which may generate dust clouds. Water stream can disperse dust into the air producing fire hazards and possible explosion hazards if exposed to ignition source.

Special Hazards arising from the substance or mixture: Hazardous decomposition, Methacrylate monomer and Oxides of Carbon when burned. Keep away from heat / sparks / open flames / hot surfaces – no smoking.

Ground / bond container and receiving equipment; Use explosion - proof electrical / ventilation / light / equipment.

Hazardous Combustion Products: Firefighters should wear self-contained breathing apparatus.

Dust explosions are possible. Polymer dust is combustible. The explosive limits of polymer dust particles suspended in air are approximately those of coal dust.

ERG Gulde #: ---

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Put on appropriate personal protective equipment. (See Section 8).

Use good personal hygiene practices, Wash hands before eating, drinking, smoking and/or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Issue Date 2015-05-31

Revision Date 2025-04-23

Environmental Precautions: Do not allow spills to enter drains or water ways.

Methods and material for containment and cleaning up: Sweep and/or vacuum to clean up spills. Do not use any procedures which cause dispersion of dust into the air if any possibility of ignition exists. Dispose in accordance with Local, State and Federal regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling: Avoid dust generation when handling product to minimize explosion potential. Use only in well

ventilated areas. See section 2 for further details. - [Prevention]

Conditions for Safe Storage, Including any Incompatibilities:

Handle containers carefully to prevent damage and spillage. Keep container tightly closed. Incompatible materials: Strong oxidizing agents. See Section 2 for further details. - [Storage]

Revision: R01

Specific end use(s) No data available.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control Parameters:

Exposure:

CAS No.	Ingredient	Source	Value
0009003-42-3	PROPENOIC ACID, 2-METHYL-,	OSHA	No Established Limit
	ETHYL ESTER, HOMOPOLYMER	ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m³ (50 mppcf*) TWA, ACGIH 10 mg/m³

Carcinogen Data:

CAS No.	Ingredient	Source	Value
0009003-42-3	PROPENOIC ACID, 2-METHYL-,	OSHA	Select Carcinogen: No
	ETHYL ESTER, HOMOPOLYMER	NTP	Known: No // Suspected: No
		IARC	Group 1: No // Group 2a: No // Group 3: No // Group 4: No

Respiratory: If workers are exposed to concentrations above the exposure limit, they must use appropriate certified respirators Eye: Protective safety glasses recommended.

Skin: If it is anticipated that prolonged skin contact will occur, use gloves designed for routine industrial use.

Engineering Controls: Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local

exhaust ventilation and good general extraction. If these are not sufficient to maintain concentration of

particulates and any vapor below occupational exposure limits, suitable respiratory protection must be worn.

Other Work Practices: Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly

remove soiled clothing and wash thoroughly before reuse.

See Section 2 for further details - [Prevention]:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Fine clear to pigmented Powder

Odor: Faint

Odor Threshold: Not Determined pH: Not Measured Melting point / Freezing point: Not Measured Initial bolling point & bolling range: Not Measured 304°C, 508°F Flash Point:

Evaporation rate (Ether = 1): Not Measured Flammability (solid, gas): Not Applicable

Lower Explosive Limit: Not Measured **Upper/Lower Flammability or Explosive Limits:**

Upper Explosive Limit: Not Measured

Vapor Pressure (Pa): Not Measured **Vapor Density:** Not Measured

Issue Date 2015-05-31 Revision Date 025-04-23 Revision: R01

Specific Gravity:
Solubility In Water:
Partition coefficient n-octanol/water (Log Kow):
Auto-Ignition Temperature:
Decomposition Temperature:
Viscosity (cSt):

Not Measured
Not Measured
Not Measured
Not Measured

Other Information: No other relevant information

10. STABILITY AND REACTIVITY

Reactivity: Hazardous Polymerization will not occur.
Chemical Stability: Stable under normal circumstances.

Possibility of Hazardous Reactions: No data available.

Conditions to Avoid: Heating above 240° C // 464° F. Incompatible Materials: Strong oxidizing agents.

Hazardous decomposition products: Methacrylate Monomer and Oxides of Carbon when burned.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Ingredient	Oral LD50 mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust / Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
PROPENOIC ACID, 2-METHYL-, ETHYL	No data	No data available	No data	No data	No data
ESTER HOMOPOLYMER – (9003-42-3)	available		available	available	available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description	
Acute toxicity (oral)	-	Not Applicable	
Acute toxicity (dermal)		Not Applicable	
Acute toxicity (inhalation)		Not Applicable	
Skin corrosion / irritation	-	Not Applicable	
Serious eye damage / irritation		Not Applicable	
Respiratory sensitization		Not Applicable	
Skin sensitization		Not Applicable	
Berm cell mutagenicity		Not Applicable	
Carcinogenicity		Not Applicable	
Reproductive toxicity		Not Applicable	
TOT-single exposure		Not Applicable	
TOT-repeated exposure		Not Applicable	
spiration hazard		Not Applicable	

12. ECOLOGICAL INFORMATION

Toxicity:

No additional information provided for this product.

See Section 3 for chemical specific data.

Aquatic Eco-Toxicity

Ingredient	96 hr LC50 fish,	48hr EC50 crustacea,	ErC50 algae,
	mg/L	mg/L	mg/L
PROPENOIC ACID, 2-METHYL-, ETHYL ESTER, HOMOPOLYMER-(9003-42-3)	Not Available	Not Available	Not Available

Issue Date 2015-05-31

Revision Date 2025-04-23

Persistence and degradability

There is no data available on the preparation itself.

Bio-accumulative potential

Not Measured.

Mobility in soli

No data available.

Results of PBT and vPvB assessment.

This product contains no PBT/vPvB chemicals.

Other adverse effects

No data available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Observe all Federal, State and Local regulations when disposing of this substance. Reuse of empty drums of containers is not recommended.

14. TRANSPORT INFORMATION

D.O.T. (Domestic Surface Transportation) IMO / IMDG (Ocean Transportation) ICAO/IATA
N/R
N/R
N/R

 U.N. number
 N/A
 N/R
 N/R

 U.N. proper shipping
 N/R
 N/R
 N/R

Transport Hazard class(es)

DOT Hazard Class: N/A

IMDG: N/A

Air Class:
N/A

Packing group N/A N/A N/A

Environmental hazards - Marine Pollutant: No

Special precautions for user No further information

15. REGULATORY INFORMATION

Regulatory Overview: The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA): All components of this material are either listed or exempt from listing on the TSCA inventory.

WHMIS Classification: Not Regulated

US EPA Tier II Hazards

Fire: Yes
Sudden Release of Pressure: No
Reactivity: No
Immediate: No

Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

Titanium dioxide.

Proposition 65 – Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Revision: R01

Issue Date 2015-05-31

Revision Date 2025-04-23

Proposition 65 - Male Repro Toxins (>0,0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Pennsylvania RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

16. OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations and orders.

The full text of the phrases appearing in section 3 is: N/A

End of Document

SDS for: Astron LC Soft Powder

Page 6 of 6

Revision: R01